INDEX TO VOLUME 7

[New names in bold-face type]

A

Aard-vark, 307.
Alouatta palliata, 287.
antelope, prong-horn, 333.
roan, 190, 308.
sable, 190, 308.
Antilocapra americana, 333.
armadillo, 206.
Ateles geoffroyi, 287.
Atophyrax, 57.
Auchenia lama, 121.
Aye-aye, 121.

B

babboon, Chacma, 308.
Bailey, A. M., and R. W. Hendee, Notes on the mammals of northwestern Alaska, 9.
Bailey, V., How beavers build their houses, 41.
Balaena mysticetus, 23.
bat, 85.
California mastiff, 131.
Bauman, J. E., Observations on the strength of the chimpanzee and its implications, 1.
bear, Alaska grizzly, 13.
black, 13.
California grizzly, 60.
polar, 13.
beaver, 20, 41, 133.
Beluga leucas, 122.
Benedict, J. E., Notes on the feeding habits of Noctilio, 58.
Bergtold, W. H., Strength of chimpanzees, 131.
bison, American, 45, 102.
blesbok, 308.
Bos taurus, 121.
Bradypus tridactylus, 122.
Brooks, A., Past and present big-game conditions in British Columbia and the predatory mammal question, 37.
buffalo, 211, 307.
bushbuck, 191.

C

Caenolestes obscurus, 120.
Canis familiaris, 120.
nubilus, 226.
Carey, H. R., African game conservation through the League of Nations—A reply to Dr. Herbert Friedmann, 310; Camera-trapping—A novel device for wild animal photography, 278; Saving the animal life of Africa—A new method and a last chance, 73.
caribou, 38.
barren ground, 21.
Castor canadensis, 20.
cat, serval, 308.
Cavia cobaya, 121.
Cebus capucinus, 287.
Ceratorhinus sumatraensis, 122.
Cercopithecus, 48.
cheetah, 308.
chimpanzee, 1, 131.
chipmunk, 331.
Chiromys madagascariensis, 121.
Citellus barrowensis, 20.
columbianus, 91.
cryptospilotus, 60.
comment and news, 72, 242, 347.
cougar, 282.
Criddle, S., The habits of Microtus minor in Manitoba, 193.
Cynomys ludovicianus, 229.

D

Dasypus, 122.
mexicanus, 206.
deer, Columbia white-tailed, 39.
mule, 38.
western white-tailed, 39.
Delphinapterus leucus, 27.
Dice, L. R., Skunk eats kittens, 131.
Dicotyles torquatus, 121.
Dicrostonyx rubricatus, 20.
Didelphis virginiana, 120.
dik-dik, 308.
Dixon, J., Dressed weights of muskrats, beavers, and jack rabbits, 133.
duiker, 191, 308.

E

Echidna, 120.
eland, 187, 307.
elephant, 307.
Elephas africanus, 122.
indicus, 122.
primigenius, 28.
Ellobius talpinus, 216.
Elrod, M. J., The Montana National Bison Range, 45.
Engle, E. T., The intestinal length in Steller's sea lion, 28; The copulation plug and the accessory genital glands of mammals, 119.
Equus caballus, 122.
Erethizon myops, 109.
Erignathus nauticus, 17.
Erinaceus europaeus, 120.
Eumops californicus, 131.
Eumetopias jubata, 28.

F

Felis domestica, 120.
leo, 120.
onca, 59.
Fleming, J. H., Lloyd's degreasing apparatus, 62.
fox, Alaska red, 15.
arctic, 15.
Friedmann, H., Notes on the big game of Africa and its preservation, 305.
Fryxell, F. M., A horn of the pronghorn antelope (Antilocapra americana) found at Moline, Illinois, 333; A new high altitude limit for the American bison, 102; An observation on the hunting methods of the timber wolf, 226; Flying squirrels as city nuisances, 133; Squirrels migrate from Wisconsin to Iowa, 60.

G

gazelle, Grant's, 307.
Thomson's, 307.
general notes, 58, 131, 226, 331.
Geomys bursarius, 35.
Gerenuk, 308.
giraffe, 306.
Nubian, 121.
gnu, brindled, 308.
goat, mountain, 334.
Goldman, E. A., review of Campbell's Bats, mosquitoes, and dollars, 136.
gopher, pocket, 35, 200.
Green, M. M., A conjecture as to the habits of some west American shrews, 331.
Grinnell, G. B., Some habits of the wolverine, 30.
Grinnell, J., Critical examination of the meadow mice of Lower California, 221.
grysbok, 191.
guenon, 48.
Gulo luscus, 15.

H

Halicore dugong, 122.
Hall, E. R., A new marten from the Pleistocene cave deposits of California, 127; A new subspecies of the California spotted skunk (Spilogale phenax Merriam), 53; The abdominal skin gland of Martes, 227.
hare, Alaska arctic, 21.
Dall's varying, 21.
hartebeest, 308.
Lichtenstein's, 189.
hippopotamus, 306, 311.

Hippopotamus amphibius, 121.
Hisaw, F. L., and H. K. Gloyd, The bull snake as a natural enemy of injurious rodents, 200.
hog, wart, 307.
Homo, 121.
Hornaday, W. T., Two musk-ox calves born in New York, 61.
Howell, A. B., Eighth annual meeting of the American Society of Mammalogists, 337.
Hubbard, W. D., Notes on the antelopes and zebra of Northern Rhodesia and Portuguese East Africa, 184.
hyena, spotted, 308.
Hyrax capensis, 122.

I

impalla, 191, 308.

J

jackal, 308.
Jackson, H. H. T., An unrecognized water shrew from Wisconsin, 57; Collecting bats with gill-nets, 231; review of Naturalist's guide to the Americas, 231; review of Newsom's Whitetailed deer, 335; The care of museum specimens of recent mammals, 113.
jaguar, 59.
Johnson, A. M., Tree-climbing woodchucks again, 132.
Johnson, C. E., Notes on a pocket gopher in captivity, 35.
Johnson, M. S., Activity and distribution of certain wild mice in relation to biotic communities, 245.

K

kob, Uganda, 308.
kudu, 184.
greater, 307.
lesser, 307.

L

Lasiopyga, 49.
lechwe, 308.
Leighton, A. H., A porcupine throws quills, 61.
lemming, Alaska, 20.
Nelson's, 20.
Lemmus alascensis, 20.
Lemur vapi, 121.
leopard, 308.
Lepus cuniculus, 121.
dalli, 21.
othus, 21.
lion, 308.
mountain, 282.
Lyman, S. H., Collecting bats with a net, 230.
lynx, Canada, 16.
Lynx mollipilosus, 16.

M

Macacus nemestrinus, 121.
Macropus, 120.
Manis javicana, 122.
marmot, 226.
hoary, 20.
park, 332.
Marmota caligata, 20.
flaviventris, 226.
luteola, 332.
warreni, 333.
marten, 227.
Martes caurina, 228.
nobilis, 127.
Mastodon, 28.
McCampbell, S. C., A new ground squirrel for Colorado, 60.
Mephitis nigra, 131.
Merriam, C. H., The buffalo in northeastern California, 211.
Microtus huperuthrus, 221.
hyperythrus, 221.
minor, 193.
ochrogaster, 265.
operarius, 21.
perplexabilis, 223.
monkey, capuchin, 287.
colobus, 308.
howler, 287.
spider, 287.
vervet, 308.

moose, 38.
mouse, forest deer, 245.
house, 265.
prairie deer, 245.
San Pedro Martir meadow, 223.
Murie, O. J., The porcupine in northern Alaska, 109.
Mus, 121.
musculus, 265.
Musgrave, M. E., Some habits of mountain lions in Arizona, 282.
musk-ox, 61.
muskrat, 133.
northwest, 21.
Mustela allegheniensis, 318, 328.
arctica, 15.
campestris, 313.
eskimo, 15, 318, 327.
rixosa, 199, 318, 327.
Myrmecophaga, jubata, 122.

N

Neosorex, 57.
Neotoma albigula, 97.
arizonae, 100.
baileyi, 97.
canescens, 97.
cinerea, 99.
cinnamomea, 100.
desertorum, 99.
fallax, 98.
micropus, 97.
orolestes, 100.
rupicola, 101.
saxamans, 100.
streatori, 99.
venusta, 98.
warreni, 98.
Noctilio leporinus, 58.
Notiosorex crawfordi, 331.

O

Odobenus divergens, 18.
Odocoileus leucurus, 39.
macrourus, 39.
Ognev, S. I. Prometheomys, a remarkable rodent from the Caucasus, 215.
Ondatra spatulata, 21.
opossum, 281.
Orcinus rectipinna, 27.
Oreamnos missoulae, 334.
oribi, 307.
Ornithorhynchus, 120.
oryx, fringe-eared, 307.
Otaria jubata, 120.
Ovis aries, 121.
dalli, 23.

P

Pan, 121.
Peromyscus albifrons, 149.
bairdii, 245.
gambelii, 167.
gossypinus, 158.
leucocephalus, 149.
maniculatus, 167.
noveboracensis, 245.
polionotus, 149.
rubidus, 169.
sonoriensis, 169.
Phoca fasciata, 16.
hispida, 17.
pribilofensis, 16.
vitulina, 120.
Phocaena phocaena, 28, 122.
Poole, A. J. The number of forms of recent mammals, 134.
porcupine, 61, 109.
porpoise, harbor, 28.
prairie-dog, 229.
Preble, E. A., review of Rowley's Taxidermy and museum exhibition, 336.
Prometheomys schaposchnikowi, 215.
Pteropus edwardsi, 120.

R

rabbit, jack, 133.
Rangifer arcticus, 21.
tarandus, 21.
rat, Arizona wood, 100.
Bailey's wood, 97.
Baird's wood, 97.
cinnamon wood, 100.
Colorado bushy-tailed wood, 100.

rat, Colorado Valley wood, 98.
Colorado wood, 98.
desert wood, 99.
gray bushy-tailed wood, 99.
hoary wood, 97.
northern bushy-tailed wood, 100.
Osgood's bushy-tailed wood, 100.
pallid wood, 101.
Streator's wood, 99.
Warren's wood, 98.
white-throated wood, 97.
Rattus norvegicus, 121.
recent literature, 63, 136, 231, 335.
reindeer, 21.
Rhachianectes glaucus, 27.
rhinoceros, black, 307.
Rhinoceros indicus, 122.
Robb, W. H., Another tree-climbing woodchuck, 133.

S

Schultz, A. H., Studies on the variability of platyrrhine monkeys, 286.
Sciurus leucotis, 60.
rufiventer, 332.
vulgaris, 121.
seal, Pacific bearded, 17.
Pribilof harbor, 16.
ribbon, 16.
ringed, 17.
sea-lion, Steller, 28.
Seton, E. T., The prairie-dogs (Cynomys ludovicianus) at Washington Zoo, 229.
Shaw, W. T., Age of the animal and slope of the ground surface, factors modifying the structure of hibernation dens of ground squirrels, 91.
sheep, Dall's, 23.
Sherman, A. R., A skunk entrapped by nature, 331; Fox squirrels' nests in a barn, 332; Periodicity in the calling of a chipmunk, 331.
shrew, arctic, 13.
gray, 331.
Merriam's, 331.
Sibbaldus musculus, 122.
Simia diana, 52.
Simia midas, 49.
mona, 49.
morta, 51.
nictitans, 51.
sitatunga, 308.
Skinner, M. P., Mountain goat (Oreamnos montanus missoulae) not found in Wyoming, 334.
skunk, 131, 331.
California spotted, 53.
Sorex alaskanus, 58.
albibarbis, 58.
albiventer, 58.
bendirii, 58.
gloveralleni, 57.
hollisteri, 13.
hydrobadistes, 57.
merriami, 331.
navigator, 58.
palmeri, 58.
palustris, 57.
spermophile, Barrow, 20.
Spilogale microrhina, 53.
springbok, 308.
squirrel, Columbian ground, 91.
flying, 133.
western fox, 332.
steenbok, 308.
Stiles, C. W., and M. B. Orleman, Retention of Cercopithecus, type diana, for the guenons, 48.
Storer, T. I., Bats, bat towers and mosquitoes, 85; What is the northward limit of range for the mastiff bat?, 131.
Strecker, J. K., The extension of range of the nine-banded armadillo, 206.
Strong, W. D., Indian records of California carnivores, 59.
Sumner, F. B., An analysis of geographic variation in mice of the Peromyscus polionotus group from Florida and Alabama, 149.
Sus scrofa, 121.
Swenk, M. H., Notes on Mustela campestris Jackson, and on the American forms of least weasels, 313.

T

Tadarida mexicana, 85.
Talpa europaea, 120.
Tamias griseus, 331.
Tapirus americanus, 122.
Tatu texanum, 206.
Thalarctos maritimus, 13.
Trichechus rosmarus, 120.
Tupaia ferruginaea, 120.

U

Ursus alascensis, 13.
americanus, 13.
magister, 60.

V

Vesperugo pipistrellus, 120.
vole, prairie, 265.
tundra, 21.
Vulpes alascensis, 15.
innuitus, 15.

W

walrus, Pacific, 18.
Warren, E. R., Dwarf marmots, 332; Notes on the breeding of wood rats of the genus Neotoma, 97.
waterbuck, common, 186, 308.
weasel, arctic, 15.
arctic least, 327.
eastern least, 328.
eskimo, 15.
least, 199, 313.
northern least, 327.
prairie least, 329.
whale, bowhead, 23.
California gray, 27.
killer, 27.
white, 27.
wolf, timber, 226.
wolverine, 15, 30.
woodchuck, 132, 133, 281.

Z

zebra, 192.
Burchell's, 307.
Grant's, 307.
Grevy's, 307.